1997 CROWN VICTORIA POLICE INTERCEPTOR MAJOR STANDARD EQUIPMENT

	cealed with one-piece full-wrap cover. Body color w/bright insert
	ftover design w/full across reflective applique
GLASS — Solar tin	
GRILLE — Bright/c	•
	file dual aero headlamps
	ck fold-away dual remote control power
MOLDINGS - Blac	
Black windshield	
Bright window fr Body color door	
	ck except White w/Vibrant White)
PAINT — Clearcoat	
Anti-chip paint p	
Body color 'B' &	
,	ECTION — Lower bodyside
WHEEL COVERS -	•
WINDOWS — Real	
INTERIOR	
	RONT SUPPLEMENTAL RESTRAINT SYSTEM — Driver and right front passenger
	oz. color-keyed floor
	- In instrument panel center stack
	nic digital with dimming feature (Natural Gas Eng. only)
	Dual ashtray mounted LLE — With integral vertical ribs
	LLE — With Integral vertical ribs
12 oz. carpeted	
Ashtrays in rear	
FUSE PANEL — Ea	
	iminated, large bin, lockable w/dampened glove box door
	's pouch with embossed carline logo
	R — Four (Volt, oil pressure, water temperature and fuel)
HEADLINER — Mo	
HEADRESTS - TW	
INSTRUMENT CLI	JSTER — Analog gauges
	NEL — w/side window demisters
LIGHT - Dome/Du	ual beam map
Luggage compa	artment/engine compartment
LUGGAGE COMP/	ARTMENT TRIM — Luxury
MAP POCKETS -	Integral front door
MIRROR - Day/nig	ght inside rearview
RADIO — Electroni	ic AM/FM stereo w/clock (Natural Gas Eng. w/o clock)
	S — Door mounted, located above armrests (two additional radio speakers mounted in package tray)
	ES — Easy-access inside door
	- Inner/Outer color-keyed one piece, front and rear doors
	cket seats with recliner. Rear seat excludes center armrest.
	point active for front and rear outboard occupants (comfort adjustment on front seat shoulder belt)
STEERING WHEE	•
	oth covered w/retention clips
	HEEL — Mounted stalk controls for washer/wipers, hi/low headlamp beam, turn signal, and flash-to-pass
TRUNK — Deep-w	
FUNCTIONAL	
AIR CONDITIONIN	IG — Manual with positive shut off registers
ALTERNATOR - 1	
) — Hidden in rear window defroster
	enance free 84 amp.
BATTERY SAVER	· · ·
BODY-FRAME CO	NSTRUCTION
BRAKE-SHIFT INT	ERLOCK
	ATCHES ON REAR DOORS

1997 CROWN VICTORIA POLICE INTERCEPTOR MAJOR STANDARD EQUIPMENT

FUNCTIONAL (Continued)
COOLANT RECOVERY SYSTEM
DECKLID LATCH — Theft-resistant
DECKLID — Remote Release
DEFROSTER, REAR WINDOW
DISC BRAKES — Power 4-wheel
DRIVER FOOTREST — (Under carpet)
ENGINE — 4.6L overhead cam, SEFI V8
ENGINE OIL COOLER
EXHAUST SYSTEM — Stainless steel, dual
FRONT STABILIZER BAR
FRONT SUSPENSION — Coil spring
FUEL FILLER CAP — Tethered
FUEL TANK — 20 gal.
GLASS — Solar-tinted, full
HEADLAMPS-ON REMINDER CHIME
HOOD ASSISTS — Gas cylinder
HORN — Dual note
IGNITION SYSTEM — Distributor-less
JACK — Scissors
PARKING BRAKE — Single-stroke
PARKING BRAKE RELEASE — Automatic with manual emergency override
PLASTIC HEAD IGNITION KEY — Primary only
POLICE EQUIPMENT GROUP — (see page 4)
POWER STEERING — Speed sensitive variable assist
REAR STABILIZER BAR
REAR SUSPENSION — 4-bar link coil spring
SHOCK ABSORBERS — Nitrogen pressurized
SPARE TIRE AND WHEEL, CONVENTIONAL
SPEEDOMETER — 140 mph certified calibration
TIRES — P225/70VRx15 — All season BSW
TRANSMISSION — Electronically controlled automatic overdrive w/OD lockout
UPPER BALL JOINTS — Low friction, lube-for-life
VISCOUS FAN
VOLTAGE REGULATOR — Electronic
WHEEL RIMS — Heavy-Duty (15 x 6-1/2)
WINDOWS — Power
WINDSHIELD WASHERS — Dual-jet fluidic
WINDSHIELD WIPERS — Interval

2-21-97 1997 CROWN VICTORIA POLICE INTERCEPTOR								
PREFERRED EQUIPMENT PACKAGES								
(AVAILABLE ONLY FOR SALE OR LEASE TO FEDERAL, STATE OR LOCAL GOVERNMENT—AS AN EMERGENCY								
VEHICLE)								
				lice				
			Inter	ceptor				
			2	2				
			0 P	2 P				
BOI	DY AND TYPE CODE	4-Do	or	P71	P71 REMARKS/RESTRICTIONS			
					UPGRADES OR ADDITIONS ARE ALLOWED. IF A GROUP WITHIN A PEP IS DELETED, THE PRICE DISCOUNT DOES NOT APPLY. INDIVIDUAL ITEMS WITHIN A GROUP			
	Deline One of	CODE			CANNOT BE DELETED.			
P K G	Police Group 1 Includes:	68P						
Ĝ	Lock Group, Power Speed Control				Incl. power door locks.			
ç								
C O N T								
Т								
		A\	/AI	LA	BLE OPTIONS			
	4.6L Electronically Controlled SEFI Automatic	99W/44U	s	S				
P T	OD 4.6L Natural Gas Automatic OD California Emissiona Sustam	999/44U 422	S 0 0	S 0 0	wail. to certified dealers only. Deletion from PEP results in loss of Alt. Fuel Value Savings.			
	California Emissions System High Altitude Principal Use	422	0 0	0				
Ţ	P225/70VRx15 All Season BSW/Conventional Spare	508	s	s				
Ŕ			Ũ					
R E S								
c					Light ★Slate⊀Prairie Graphite Blue Tan			
SEATS	Cloth Front Buckets/Cloth Rear Cloth Front Buckets/Vinyl Rear	H	S 0	S	H2 HD HY			
Â	Cloth Split Bench/Cloth Rear	Р	0	0	2 ID IY			
S	Vinyl Split Bench/Vinyl Rear 6-Way Power Driver's	E 21A	Ŏ	Ŭ 0	P2 PD PY E2 ED EY			
0	Anti-Lock Braking System/Electronic Traction							
Ť	Assist Floor Covering, Heavy Duty Rubber	553 127 12H	0	0	Deletes carpeting. NA w/12H or 12Q Floor Mats.			
OTHER	Floor Mats, Front Color-Keyed Carpet Floor Mats, Rear Color-Keyed Carpet Heater, Engine Block Immersion	12H 120	0	0				
	Heater, Engine Block Immersion	12Q 41H 153	Ŏ	Ŭ 0				
O P	License Plate Bracket Limited Slip Differential Luggage Compartment Trim, Vinyl	45D	0	Ó	NA w/553 Anti-Lock Braking System. NA w/999 Natural Gas Eng.			
Ť	Police Group 1	13V 68P	0	0				
0	Includes: Lock Group, Power				Incl. power door locks.			
N S	Speed Control Remote Release Fuel Door	18K	0	0	NA w/999 Natural Gas Eng.			
Α	Radio, Electronic AM/FM Stereo/Cassette Radio, Electronic AM/FM Stereo/Cassette/	58H	0	0	Natural Gas Eng. only.			
A U D	Radio, Electronic AM/FM Stereo/Cassette/ Clock	589	0	0	NA w/999 Natural Gas Eng.			
Ī								
	RNING: After market police equipr	nent (su	rh as	comn	nunications gear) must not be mounted in the airbag			
de	ployment zone. Vehicles equipped v	vith benc	ch sea	ats ma	ly not have sufficient room to mount such equipment.			
		ochure, p	art #F	PS-8	602 for available police equipment mounting zones. Advise all			
cu	stomers of these facts.							

1997 CROWN VICTORIA POLICE INTERCEPTOR GROUP/MISCELLANEOUS OPTIONS

MISCELLANEOUS

Predelivery Only	361
Predelivery w/Undercoat	362
Local/State Ordinance Deviation	931
Off-Standard Paint	933
Priced DORA	C09

SPECIAL ORDERS

(FLEET ONLY. See Dealer Special Order Binder for ordering guidelines and restrictions.)

VEHICLES DESTINED FOR CALIFORNIA,

MASSACHUSETTS OR NEW YORK CALIFORNIA EMISSIONS SYSTEM 422 Required on units for California, Massachusetts or New York registration. NA 428 High Altitude Principal Use. CALIFORNIA EMISSIONS SYSTEM NOT REQUIRED ... 423 Control code for units either shipped to California, Massachusetts or New York Dealers or ordered by California, Massachusetts or New York dealers for registration out of state. CALIFORNIA/MASSACHUSETTS/NEW YORK PUBLIC SERVICE/EMERGENCY VEHICLE EXEMPTION 936 Only available on units sold to authorized governmental units and privately-owned ambulance companies. Must

also use Code 423 when ordering. NON-CALIFORNIA/NON-MASSACHUSETTS/ NON-NEW YORK DEALER ORDER FOR CALIFORNIA/MASSACHUSETTS/NEW YORK REGISTRATION..... 93N Required on all units ordered by dealers for California, Massachusetts or New York registration when the vehicle is being delivered to a non-California, non-Massachusetts or non-New York location. Requires 422 California Emission System. Vehicle must be registered in California, Massachusetts or New York.

VEHICLES DESTINED FOR HIGH ALTITUDE AREAS

HIGH ALTITUDE PRINCIPAL USE 428 Control code required on all units sold for principal use in high altitude counties, as defined in EPA regulations, and listed in the Dealer Initial Ordering Guide. High altitude performance and/or emissions control equipment provided as required to comply with EPA regulations or general product vehicle performance acceptance standards. Also available on units for sale in high altitude fringe areas. NA with 422 California Emissions

NON-HIGH ALTITUDE PRINCIPAL USE 429 Control code on units shipped to high altitude areas or units ordered by high altitude area dealers for registration in a non-high altitude area.

PRODUCT CONTENT DIFFERENCES OF CROWN VICTORIA SERIES WITH POLICE INTERCEPTOR SERIES

- Deletions from Crown Victoria Series
- Instrument Panel Sound Insulator
- Rear Seat Armrest (LX only)
- **Revisions to Crown Victoria Series Content**
- RH Visor with Mirror replaced by Visor without Mirror
- Steel Wheels replaced by Heavy-Duty
- Blacked-out B/C Pillars replaced by Body Color
- Wide Bodyside Molding replaced by optional Narrow Black (except White with WT Vibrant White Exterior)
- Express down driver window feature deleted.

POLICE INTERCEPTOR EQUIPMENT

- Full Wheel Covers
- 84 Amp-Hr Extra Heavy-Duty Battery
- Heavy-Duty Suspension heavy-duty front and rear springs, shock absorbers and stabilizer bars
- Heavy-Duty Frame
- Heavy-Duty (130 Amp) Alternator
- Police Accessory Feed Wires (One ignition/One direct)
- HD U-Joints and Driveshaft
- **Dual Exhaust**
- Engine Oil Cooler
- Transmission Oil Cooler
- Power Steering Oil Cooler
- 0-140 MPH Speedometer
- P225/70VR15 "All Season" BSW Tires/Conventional Spare Tire
- 3.27 Rear Axle Ratio w/non-locker axle
- Remote Decklid Release
- 3-1/2" Aluminum Driveshaft
- Unique calibration w/increased idle speed
- Extra cooling (Police level) Lower radiator air dam
- Courtesy Lamp wiring
- Conventional Headliner without grab handles
- High Intensity Map Light Engine Compartment Light
- Front Cloth Bucket Seats
- Single Key Locking

1997 CROWN VICTORIA POLICE INTERCEPTOR COLOR AND TRIM

		INTERIOR TRIM COLORS			
INTERIOR TRIM TYPE AND COLOR SELECTOR NOTE: First letter denotes type, second letter denotes co	★Slate Blue	★Prairie Tan	Light Graphite		
Vinyl Split Bench/Vinyl Rear Cloth Front Buckets/Cloth Rear Cloth Front Buckets/Vinyl Rear Cloth Split Bench/Cloth Rear		ED HD ID PD	EY HY IY PY	E2 12 P2	
EXTERIOR COLOR			AVAILABILITY		
COLOR		CODE			
★Light Prairie Tan Clearcoat Metallic ★Vermont Green Clearcoat Metallic Toreador Red Clearcoat Metallic Ivory Clearcoat ★Light Denim Blue Clearcoat Metallic Medium Wedgewood Blue Clearcoat Metallic ★Deep Forest Green Clearcoat Metallic Silver Frost Clearcoat Metallic Black Clearcoat Vibrant White Clearcoat	BA F7 FL HB K1 LD NA TS UA WT	• • •	•••••	• • • • •	

WARNING: After market police equipment (such as communications gear) must not be mounted in the airbag deployment zone. Vehicles equipped with bench seats may not have sufficient room to mount such equipment. Bucket seats may be required. See brochure, part #FPS-8602 for available police equipment mounting zones. Advise all customers of these facts.

LEGEND: \star = New for this model year • = Arailable.

2-21-97

1997 CROWN VICTORIA POLICE INTERCEPTOR POWERTRAIN AVAILABILITY

			50 STATES
MODEL	ENGINE — TRANSMISSION	COD	
		AXLE TYPE	REGULAR
		AXLE RATIO	3.27
POLICE			
	4.6L OHC SEFI V8 Overdrive	99W/44U	1) Std

(1) Natural Gas Engine available (Order 999)

FUEL ECONOMY

				50 STATES				
			F.E.	LABEL	ESTIMATED	MEMO:		
MODEL	ENGINE DISPL.	TRANSMISSION	ADJ CITY	USTED HIGHWAY	ANNUAL FUEL COST	UNADJUSTED COMBINED		
POLICE	4.6L OHC SEFI V8	Electronic Automatic Overdrive	16	23	\$ 947	21.7		

ENGINE HORSEPOWER AND TORQUE RATINGS

		NOMINAL	50 ST	50 STATES	
			NOMINAL COMPRESSION	HORSEPOWER	TORQUE
MODEL	ENGINE DISPL.	TRANSMISSION	RATIO	H.P. @ RPM	FT. LB. @ RPM
POLICE	4.6L OHC SEFI V8	Electronic Automatic Overdrive	9.0	210 @ 4250	275 @ 3250