

## 1998 CROWN VICTORIA POLICE INTERCEPTOR MAJOR PRODUCT CHANGES

### OVERVIEW

- The Crown Victoria Police Interceptor receives an exterior freshening and numerous product enhancements for 1998.

### MODEL/SERIES AVAILABILITY CHANGES

- None

### EXTERIOR CHANGES

- Colors Added:
  - Police Cream Yellow (B1)
  - Medium Brown Metallic (BU)
  - Dark Blue (LK)
  - Royal Blue (LM)
  - Light Blue Metallic (LN)
  - Ultra Blue Clearcoat Metallic (MM)
  - Light Grey (TM)
  - Silver Grey Metallic (TN)
  - Medium Titanium Clearcoat Metallic (YG)
  - Spruce Green Clearcoat Metallic (FS)
  - Dark Green Satin Clearcoat Metallic (FU)
  - Medium Grey Clearcoat Metallic (TP)
- Colors Deleted:
  - Vermont Green Clearcoat Metallic
  - Ivory Clearcoat
  - Deep Forest Green Clearcoat Metallic

### INTERIOR CHANGES

- Colors Added:
  - Dark Denim Blue
- Colors Deleted:
  - Slate Blue

### OPTION PROGRAM CHANGES

- New Spot Lamp option
- New Spot Lamp Prep Package option
- New Radio Suppression Package option
- New Inoperative Courtesy Lamp option
- Three new two-tone paint configurations

## 1998 CROWN VICTORIA POLICE INTERCEPTOR MAJOR STANDARD EQUIPMENT

<b>EXTERIOR</b>
<b>BUMPERS</b> — Concealed with one-piece full-wrap cover. Body color w/bright insert
<b>DECKLID</b> — Low liftover design
<b>GLASS</b> — Solar tinted, full
<b>GRILLE</b> — Bright/center design
<b>LIGHTS</b> — Low profile dual aero headlamps w/"crystalline" Krypton long-life bulbs
<b>MIRRORS</b> — Black fold-away dual remote control power
<b>MOLDINGS</b> — Black rocker panel
Black windshield and backlight
Black window frames
Body color door frames
Body color 'B' pillar
Color-keyed bodyside (except DSO colors which have narrow black moldings)
<b>PAINT</b> — Clearcoat
Anti-chip paint primer
Body color 'B' & 'C' pillars
<b>URETHANE PROTECTION</b> — Lower bodyside
<b>WHEEL COVERS</b> — Full
<b>INTERIOR</b>
<b>AIR BAG, DUAL FRONT SUPPLEMENTAL RESTRAINT SYSTEM</b> — Driver and right front passenger
<b>CARPETING</b> — 13.5 oz. color-keyed floor
<b>CIGARETTE LIGHTER</b> — In instrument panel center stack
<b>CUPHOLDERS</b> — Dual ashtray mounted
<b>DEFROSTER GRILLE</b> — With integral vertical ribs
<b>DOOR TRIM PANELS</b> — Front with armrests
12 oz. carpeted lower
Ashtrays in rear above armrests
<b>FUSE PANEL</b> — Easy-access, labeled
<b>GAUGE CLUSTER</b> — Four (Volt, oil pressure, water temperature and fuel)
<b>GLOVE BOX</b> — Illuminated, large bin, lockable w/dampened glove box door
Zippered owner's pouch with embossed carline logo
<b>HEADLINER</b> — Removable with high intensity dome lamp
<b>HEADRESTS</b> — Two-way
<b>INSTRUMENT CLUSTER</b> — Analog gauges
<b>INSTRUMENT PANEL</b> — w/side window demisters
<b>LIGHT</b> — Dome/High intensity map
Luggage compartment/engine compartment
<b>LUGGAGE COMPARTMENT TRIM</b> — Luxury full carpet
<b>MAP POCKETS</b> — Integral front door
<b>MIRROR</b> — Day/night inside rearview
<b>RADIO</b> — Electronic AM/FM stereo w/clock (Natural Gas Eng. w/o clock)
<b>RADIO SPEAKERS</b> — Door mounted, located above armrests (two additional radio speakers mounted in package tray)
<b>RELEASE HANDLES</b> — Easy-access inside door
<b>SCUFF PLATES</b> — Inner/Outer color-keyed one piece, front and rear doors
<b>SEATS</b> — Cloth bucket seats with recliner. Rear seat excludes center armrest.
<b>SEAT BELTS</b> — 3-point active for front and rear outboard occupants (comfort adjustment on front seat shoulder belt)
<b>STEERING WHEEL</b> — Color-keyed with center horn blow
<b>SUNVISORS</b> — Cloth covered w/retention clips
<b>TILT STEERING WHEEL</b> — Mounted stalk controls for washer/wipers, hi/low headlamp beam, turn signal, and flash-to-pass
<b>TRIP ODOMETER</b>
<b>TRUNK</b> — Deep-well Carpeted
<b>FUNCTIONAL</b>
<b>AIR CONDITIONING</b> — Manual with positive shut off registers
<b>ALTERNATOR</b> — 130 amp
<b>ANTENNA, RADIO</b> — Hidden in rear window defroster
<b>BATTERY</b> — Maintenance free 78 amp.
<b>BATTERY SAVER</b> — Turns off lights after 30 minutes
<b>BODY-FRAME CONSTRUCTION</b>
<b>BRAKE-SHIFT INTERLOCK</b>
<b>CHILD SAFETY LATCHES ON REAR DOORS</b>
<b>COOLANT RECOVERY SYSTEM</b>
<b>DECKLID RELEASE</b> — Remote

## 1998 CROWN VICTORIA POLICE INTERCEPTOR MAJOR STANDARD EQUIPMENT

<b>FUNCTIONAL (Continued)</b>
<b>DEFROSTER, REAR WINDOW</b>
<b>DISC BRAKES</b> — Power 4-wheel
<b>DRIVER FOOTREST</b> — (Under carpet)
<b>ENGINE</b> — 4.6L overhead cam, SEFI V8
<b>ENGINE OIL COOLER</b>
<b>EXHAUST SYSTEM</b> — Stainless steel
<b>FAIL SAFE COOLING</b>
<b>FAN</b> — Dual Speed Electrodrive
<b>FRONT STABILIZER BAR</b>
<b>FRONT SUSPENSION</b> — Short/Long Arm
<b>FUEL FILLER CAP</b> — Tethered
<b>FUEL TANK</b> — 19 gal.
<b>GLASS</b> — Solar-tinted, full
<b>HEADLAMPS-ON REMINDER CHIME</b>
<b>HEAT DUCTS</b> — Rear floor mounted
<b>HOOD ASSISTS</b> — Gas cylinder
<b>HORN</b> — Dual note
<b>IGNITION SYSTEM</b> — Electronic Distributor-less
<b>JACK</b> — Scissors
<b>PARKING BRAKE</b> — Single-stroke
<b>PARKING BRAKE RELEASE</b> — Automatic with manual emergency override
<b>PASSENGER CAPACITY</b> — Six
<b>PLASTIC HEAD IGNITION KEY</b> — Primary only
<b>POWER STEERING</b> — Speed sensitive variable assist
<b>REAR STABILIZER BAR</b>
<b>REAR SUSPENSION</b> — Watt's Linkage
<b>SHOCK ABSORBERS</b> — Nitrogen pressurized
<b>SPARE TIRE AND WHEEL, CONVENTIONAL</b>
<b>SPEEDOMETER</b> — 140 mph certified calibration
<b>TIRES</b> — P225/60VRx16 — All season BSW
<b>TRANSMISSION</b> — Electronically controlled automatic overdrive w/OD lockout
<b>UPPER BALL JOINTS</b> — Low friction, lube-for-life
<b>VOLTAGE REGULATOR</b> — Electronic
<b>WHEEL RIMS</b> — Heavy-Duty (16 x 7)
<b>WINDOWS</b> — Power
<b>WINDSHIELD WASHERS</b> — Dual-jet fluidic
<b>WINDSHIELD WIPERS</b> — Interval

**1998 CROWN VICTORIA POLICE INTERCEPTOR**

(AVAILABLE ONLY FOR SALE OR LEASE TO FEDERAL, STATE OR LOCAL GOVERNMENT—AS AN EMERGENCY VEHICLE)

**Crown  
Victoria**

<b>BODY AND TYPE CODE</b>	4-Door P71	<b>REMARKS/RESTRICTIONS</b>
<b>CODE</b>		

**MAJOR STANDARD EQUIPMENT**

<b>MAJ ST D E Q U I P</b>	4.6L Electronically Controlled SEFI Automatic OD		S	Incl. clock.
	Air Conditioning		S	
	Electronic AM/FM Stereo		S	
	Cloth Front Buckets/Cloth Rear		S	
	Engine Oil Cooler		S	
	Full Wheel Covers		S	
	Heavy Duty Alternator		S	
	Heavy Duty Front and Rear Shocks		S	
	Heavy Duty Frame and Body Mounts		S	
	Heavy Duty Front and Rear Springs		S	
	Power Lock Group		S	
	Power Mirrors		S	
	Power Steering Cooler		S	
	Power Windows		S	
Rear Window Defroster		S		
Transmission Oil Cooler		S		

**AVAILABLE OPTIONS**

<b>P T</b>	4.6L Electronically Controlled SEFI Automatic OD	99W/44U	S	Avail. to certified dealers only.																					
	4.6L Natural Gas Automatic OD	999/44U	0																						
<b>T I R E S</b>	P225/60VRx16 BSW All-Season	T23	S																						
	Conventional Spare	508	S																						
	Hub Cap	64C	0																						
<b>S E A T S</b>	Cloth Front Buckets/Cloth Rear	H	S	<table border="0"> <tr> <td></td> <td>★Dark</td> <td>Prairie</td> </tr> <tr> <td>Light</td> <td>Denim</td> <td>tan</td> </tr> <tr> <td>Graphite</td> <td>Blue</td> <td></td> </tr> <tr> <td>H2</td> <td>HR</td> <td>HY</td> </tr> <tr> <td>I2</td> <td>IR</td> <td>IY</td> </tr> <tr> <td>P2</td> <td>PR</td> <td>PY</td> </tr> <tr> <td>R2</td> <td>RR</td> <td>YR</td> </tr> </table>		★Dark	Prairie	Light	Denim	tan	Graphite	Blue		H2	HR	HY	I2	IR	IY	P2	PR	PY	R2	RR	YR
		★Dark	Prairie																						
	Light	Denim	tan																						
	Graphite	Blue																							
	H2	HR	HY																						
I2	IR	IY																							
P2	PR	PY																							
R2	RR	YR																							
Cloth Front Buckets/Vinyl Rear	I	0																							
Cloth Split Bench/Cloth Rear	P	0																							
Vinyl Split Bench/Vinyl Rear	R	0																							
Power Driver's Seat	21A	0																							
<b>A U D I O</b>	Electronic AM/FM Stereo	58F	S	Incl. clock. Incl. clock. See Page 4 for Package Description/Content.																					
	Electronic AM/FM Stereo/Cassette	58H	0																						
	Radio Suppression Package	53M	0																						
<b>O T H E R  O P T I O N S</b>	Anti-Lock Braking System/Electronic Traction Control	553	0	Faction Control NA w/999 Natural Gas Eng. Courtesy lamp circuits made non-functional. Deletes carpeting. NA w/12H or 12Q Floor Mats.  NA w/553 Anti-Lock Braking System. NA w/999 Natural Gas Eng.  Deletes carpeted trunk trim. NA w/999 Natural Gas Eng.  See Page 4 for Package Description/Content. See Page 4 for Package Description/Content. 6" Unity #225 with 160,000 CP Halogen Bulb - "A" Pillar Mounted. 6" Unity #225 with 160,000 CP Halogen Bulb - "A" Pillar Mounted. Accent color is applied on the roof, front doors and rear doors. Accent color is applied on the roof, hood, upper B-pillar and decklid. Accent color is applied on the roof and front doors.																					
	Courtesy Lamp Disable	478	0																						
	Floor Covering, Heavy Duty Rubber	127	0																						
	Floor Mats, Front Color-Keyed Carpet	12H	0																						
	Floor Mats, Rear Color-Keyed Carpet	12Q	0																						
	License Plate Bracket	153	0																						
	Limited Slip Differential	45D	0																						
	Locking Gas Cap	18H	0																						
	Luggage Compartment Trim, Vinyl	13V	0																						
	Moldings, Front Door Bodyside, Installed	96C	0																						
	Speed Control	525	0																						
	Spot Lamp Prep Package, Driver's side	51B	0																						
	Spot Lamp Prep Package, Dual Side	51Z	0																						
	Spot Lamp, Driver's Side	51A	0																						
Spot Lamp, Dual	51Y	0																							
Two-Tone #1(1)	952	0																							
Two-Tone #2(1)	953	0																							
Two-Tone #3(1)	955	0																							
<b>L P O</b>	Heater, Engine Block Immersion	41H	0																						

**WARNING: After market police equipment (such as communications gear) must not be mounted in the airbag deployment zone. Vehicles equipped with bench seats may not have sufficient room to mount such equipment. Bucket seats may be required. See brochure, part #FPS-8602 for available police equipment mounting zones. Advise all customers of these facts.**

**LEGEND:** 0 = Optional S = Standard — = Not Available U = Upgraded I = Included in another option or group option.  
 ♦ = May not be available at Job #1. ★ = New for this model year.  
 (1) Bumper color same as primary color.

## 1998 CROWN VICTORIA POLICE INTERCEPTOR GROUP/MISCELLANEOUS OPTIONS

### RADIO SUPPRESSION PACKAGE (53M)

Provides radio suppression coverage for the following areas:

- Hood to body (LH/RH)
- Engine to dash panel
- Engine to frame
- Tail pipe to frame (LH/RH)
- Decklid to body (LH/RH)
- Radiator bracket to frame (LH/RH)
- Body to frame-rear (LH/RH)

### SPOT LAMP PREP PACKAGE (51B/51Z)

- Contains wiring, bracketry & body preparation for installation of spot lamp kit purchased from manufacturer.
- Required for dealer installation of A-Pillar spot lamp(s).
- Access hole in A-Pillar
- Mounting bracket in place
- A-Pillar moldings trimmed
- Wiring & fuse located in std. fuse panel
- Door edge reworked and trimmed

NOT AVAILABLE WITH:

- 51A/51Y Spot Lamp(s)

### MISCELLANEOUS

Predelivery Only .....	<b>361</b>
Predelivery w/Undercoat .....	<b>362</b>
Local/State Ordinance Deviation .....	<b>931</b>
Priced DORA .....	<b>C09</b>

### SPECIAL ORDERS

(FLEET ONLY. See Dealer Special Order Binder for ordering guidelines and restrictions.)

#### VEHICLES DESTINED FOR CALIFORNIA, MASSACHUSETTS, NEW YORK OR CONNECTICUT

CALIFORNIA EMISSIONS SYSTEM (NOT REQUIRED CROWN VIC POLICE)..... **422**  
 Required on units for California, Massachusetts, New York or Connecticut registration. NA with 428 High Altitude Principal Use.

CALIFORNIA EMISSIONS SYSTEM NOT REQUIRED..... **423**  
 Control code for units either shipped to California, Massachusetts, New York or Connecticut dealers or ordered by California, Massachusetts, New York or Connecticut dealers for registration out of state.

CALIFORNIA/MASSACHUSETTS/NEW YORK/CONNECTICUT PUBLIC SERVICE/EMERGENCY VEHICLE EXEMPTION..... **936**  
 Only available on units sold to authorized governmental units and privately-owned ambulance companies. Must also use Code 423 when ordering.

NON-CALIFORNIA/NON-MASSACHUSETTS/NON-NEW YORK/NON-CONNECTICUT DEALER ORDER FOR CALIFORNIA/MASSACHUSETTS/NEW YORK/CONNECTICUT REGISTRATION .... **93N**  
 Required on all units ordered by dealers for California, Massachusetts, New York or Connecticut registration when the vehicle is being delivered to a non-California, non-Massachusetts, non-New York or non-Connecticut location. Requires 422 California Emissions System. Vehicle must be registered in California, Massachusetts, New York or Connecticut.

### VEHICLES DESTINED FOR HIGH ALTITUDE AREAS (NOT REQUIRED CROWN VIC POLICE)

HIGH ALTITUDE PRINCIPAL USE..... **428**

Control code required on all units sold for principal use in high altitude counties, as defined in EPA regulations, and listed in the Dealer Initial Ordering Guide. High altitude performance and/or emissions control equipment provided as required to comply with EPA regulations or general product vehicle performance acceptance standards. Also available on units for sale in high altitude fringe areas. NA with 422 California Emissions.

NON-HIGH ALTITUDE PRINCIPAL USE..... **429**

Control code on units shipped to high altitude areas or units ordered by high altitude area dealers for registration in a non-high altitude area.

### PRODUCT CONTENT DIFFERENCES OF CROWN VICTORIA SERIES WITH POLICE INTERCEPTOR SERIES

Deletions from Crown Victoria Series

- Instrument Panel Sound Insulator
- Rear Seat Armrest (LX only)
- Hood Insulator

Revisions to Crown Victoria Series Content

- RH Visor with Mirror replaced by Visor without Mirror
- Blacked-out B Pillar replaced by Body Color
- Wide Bodyside Molding replaced by Narrow Color-keyed molding (except DSO colors which receive Narrow Black moldings)
- Express down driver window feature deleted.
- Black Outside Mirrors
- Blacked-out Rear Applique

### POLICE INTERCEPTOR EQUIPMENT

- Full Wheel Covers
- 78 Amp-Hr Extra Heavy-Duty Battery
- Heavy-Duty Suspension – heavy-duty front and rear springs, shock absorbers and stabilizer bar
- Heavy-Duty Frame
- Heavy Duty Steering Gear
- Heavy-Duty (130 Amp) Alternator
- Police Accessory Feed Wires (One ignition/One direct)
- HD U-Joints and Driveshaft
- Dual Exhaust
- Engine Oil Cooler
- Transmission Oil Cooler
- Power Steering Oil Cooler
- 0-140 MPH Speedometer
- P225/60VR16 "All Season" BSW Tires/Conventional Spare Tire
- 3.27 Rear Axle Ratio w/non-locker axle
- Remote Decklid Release
- 3-1/2" Aluminum Driveshaft
- Unique calibration w/increased idle speed
- Extra cooling (Police level)
- Lower radiator air dam
- Courtesy Lamp wiring
- Conventional Headliner without grab handles
- High Intensity Map Light
- Engine Compartment Light
- Front Cloth Bucket Seats
- Single Key Locking



## 1998 CROWN VICTORIA POLICE INTERCEPTOR POWERTRAIN AVAILABILITY

MODEL		ENGINE — TRANSMISSION	CODE	50 STATES	
POLICE	4.6L OHC SEFI V8	— Electronic Automatic Overdrive	99W/44U(1)	AXLE TYPE	REGULAR
				AXLE RATIO	3.27
					Std

(1) Natural Gas Engine available (Order 999)

## FUEL ECONOMY

			50 STATES			
MODEL	ENGINE DISPL.	TRANSMISSION	F.E. LABEL		ESTIMATED ANNUAL FUEL COST	MEMO: UNADJUSTED COMBINED
			ADJUSTED CITY	HIGHWAY		
POLICE	4.6L OHC SEFI V8	Electronic Automatic Overdrive	16	22	\$ 1042	21.3

## ENGINE HORSEPOWER AND TORQUE RATINGS

			NOMINAL COMPRESSION RATIO	50 STATES	
MODEL	ENGINE DISPL.	TRANSMISSION		HORSEPOWER H.P. @ RPM	TORQUE FT. LB. @ RPM
POLICE	4.6L OHC SEFI V8	Electronic Automatic Overdrive	9.0	215 @ 4500	275 @ 3000