2000 POLICE INTERCEPTOR MAJOR PRODUCT CHANGES

OVERVIEW

 The Police Interceptor receives Express Down Window Feature standard, Black-Out trim on the tail lamp applique and a Dual-Beam Map Lamp option for the 2000 model year.

MODEL/SERIES/AVAILABILITY CHANGES

None

EXTERIOR CHANGES

Black-Out on the Tail Lamp Applique

EXTERIOR COLOR CHANGES

- Colors Added:
 - Tropic Green Clearcoat Metallic (SU)
- Colors Deleted:
 - Medium Gray Clearcoat
 - Dark Green Satin Clearcoat Metallic
 - Police Cream Yellow

INTERIOR CHANGES

- Ashtrays deleted from rear door trim panel.
- Carpet removed from rear door trim panel.
- Removable Headliner with Dual-Beam Map Lamp option available

FUNCTIONAL CHANGES

None

POWERTRAIN CHANGES

None

OPTION PROGRAM CHANGES

- Express Down Window Feature standard
- Metal-matrix composite driveshaft standard
- Extended Range NGV Tank available

2000 POLICE INTERCEPTOR MAJOR STANDARD EQUIPMENT

EXTERIOR

BUMPERS — Concealed with one-piece full-wrap cover. Body color w/black insert

DECKLID — Low liftover design

GLASS — Solar tinted, full

GRILLE — Black/center Ford Oval design

LIGHTS — Low profile dual aero headlamps w/"crystalline" Krypton long-life bulbs

MIRRORS — Black fold-away dual remote control power

MOLDINGS — Black rocker panel

Black windshield and backlight

Bright surround on side windows.

Color-keyed bodyside (except DSO colors which have narrow black moldings)

PAINT — Clearcoat

Anti-chip paint primer

Body color "B" & "C" pillars

URETHANE PROTECTION — Lower bodyside

WHEEL COVERS — Full

INTERIOR

AIR BAG, DUAL FRONT SUPPLEMENTAL RESTRAINT SYSTEM — Driver and right front passenger

CARPETING — 12.0 oz. color-keyed floor

CIGARETTE LIGHTER — In instrument panel center stack

CUPHOLDERS — Dual ashtray mounted

DEFROSTER GRILLE — With integral vertical ribs

DOOR TRIM PANELS — Front with armrests. Ashtrays deleted from Rear Door Trim Panels.

★Carpeted (faux) lower on front door trim, carpet deleted on rear door trim

FUSE PANEL — Easy-access, labeled

GAUGE CLUSTER — Four (Volt, oil pressure, water temperature and fuel)

GLOVE BOX — Illuminated, large bin, lockable w/dampened glove box door

Zippered owner's pouch with embossed carline logo

HEADLINER — Removable with high intensity dome lamp

HEADRESTS — Two-way

INSTRUMENT CLUSTER — Analog gauges

INSTRUMENT PANEL — w/side window demisters

LIGHT — Dome/High intensity map lamp

Luggage compartment/engine compartment

LUGGAGE COMPARTMENT TRIM — Luxury full carpet

MAP POCKETS — Integral front door

MIRROR — Day/night inside rearview

RADIO — Electronic AM/FM stereo w/clock (Natural Gas Eng. w/o clock)

RADIO SPEAKERS — Door mounted, located above armrests (two additional radio speakers mounted in package tray)

RELEASE HANDLES — Easy-access inside door

SCUFF PLATES — Color-keyed, front and rear doors

SEATS — Cloth bucket seats with recliner. Rear seat excludes center armrest.

SEAT BELTS — 3-point active for front and rear outboard occupants (comfort adjustment on front seat shoulder belt)

STEERING WHEEL — Color-keyed with center horn blow

SUNVISORS — Cloth covered w/retention clips

TILT STEERING WHEEL — Mounted stalk controls for washer/wipers, hi/low headlamp beam, turn signal, and flash-to-pass

TRIP ODOMETER

TRUNK — Deep-well

FUNCTIONAL

AIR CONDITIONING — Manual with positive shut off registers

ALTERNATOR — 130 amp

ANTENNA, RADIO — Hidden in rear window defroster

BATTERY — Maintenance free 78 amp.

BATTERY SAVER — Turns off lights after 30 minutes

BODY-ON-FRAME CONSTRUCTION

BRAKE-SHIFT INTERLOCK

CHILD SAFETY LATCHES ON REAR DOORS

CONVENTIONAL SPARE TIRE AND WHEEL

COOLANT RECOVERY SYSTEM

DECKLID RELEASE — On Instrument Panel, Battery operated

DEFROSTER, REAR WINDOW

DISC BRAKES — Power 4-wheel

FUNCTIONAL (Continued)

DRIVE SHAFT — Metal Matrix Composite

LEGEND: \star = New for this model year.

1-21-00

2000 POLICE INTERCEPTOR MAJOR STANDARD EQUIPMENT

DRIVER FOOTREST — (Under carpet)

ENGINE — 4.6L overhead cam, SEFI V8

ENGINE OIL COOLER

EXHAUST SYSTEM — Stainless steel

FAIL SAFE COOLING

FAN — Dual Speed Electrodrive

FRONT STABILIZER BAR

FRONT SUSPENSION — Short/Long Arm

FUEL FILLER CAP — Tethered

FUEL TANK — 19 gal.

GLASS — Solar-tinted, full

HEADLAMPS-ON REMINDER CHIME

HEAT DUCTS — Rear floor mounted

HOOD ASSISTS — Gas cylinder

HORN — Dual note

IGNITION SYSTEM — Electronic Distributor-less

JACK — Scissors

PARKING BRAKE — Single-stroke

PARKING BRAKE RELEASE — Manual

PASSENGER CAPACITY — Six

PLASTIC HEAD IGNITION KEY — Primary only

POWER STEERING — (Without speed sensitive variable assist)

REAR STABILIZER BAR

REAR SUSPENSION — Watt's Linkage

SHOCK ABSORBERS — Nitrogen pressurized

SPEEDOMETER — 140 mph certified calibration

TIRES — P225/60VRx16 — All-season BSW Goodyear tires

TRANSMISSION — Electronically controlled automatic overdrive w/OD lockout w/final drive ratio of 3.55:1

UPPER BALL JOINTS — Low friction, lube-for-life

VOLTAGE REGULATOR — Electronic

WHEEL RIMS — Heavy-Duty (16 x 7)

WINDOWS — Power w/Express-Down Driver's Window

WINDSHIELD WASHERS — Dual-jet

WINDSHIELD WIPERS — Interval

LEGEND: \star = New for this model year.

01/12/00 11:04 AM - 3 - Ford Division

7-12-99

2000 POLICE INTERCEPTOR

(AVAILABLE ONLY FOR SALE OR LEASE TO FEDERAL, STATE OR LOCAL GOVERNMENT—AS AN **EMERGENCY VEHICLE)**

SERIES CODE Police

		Interceptor					
BODY AND TYPE CODE	4-Door	P71	REMARKS/RESTRICTIONS				
	CODE						
MAJOR STANDARD EQUIPMENT							
MAJOR STANDARD EQUIPMENT							
4.6L Electronically Controlled SEFI Automatic OD		S					
3.55 Rear Axle Ratio		S					
Air Conditioning		S					
Cloth Front Buckets/Cloth Rear		S					
Electronic AM/FM Stereo		S	Incl. clock.				
Engine Oil Cooler		S					
Express Down Driver's Windows♦★		S					
Full Wheel Covers		S					
Heavy Duty Frame and Bod Ints		S					
Heavy Duty Front and Rear Greeks		S					
Heavy Duty Front and Rear Springs		S					
Power Lock Group		S					
Power Mirrors Power Steering Cooler		S S					
Power Windows		S					
Rear Windows Defroster		S					
Transmission Oil Cooler		S					
POWERTRAINS		3					
4.6L Electronically Controlled SEFI Automatic OD	99W/44U	S					
4.6L Natural Gas Automatic OD	999/44U	0	Avail. to certified dealers only. NA w/61H Decklid Release and 476				
4.0L Natural Gas Automatic Ob	333/440	0	Lamp Pre-Wire Group or 946 2-Way Radio Pre-Wire.				
NGV Extended Range Tank	65T	0	Requires 31B Ship-thru code. NA w/rubber flooring (127). Mini-				
	00.	Ĭ	spare replaces conventional spare tire.				
California Emissions System	422	0					
TIRES							
P225/60VRx16 Goodyear BSW All-Season	T23	S					
P225/60VRx16 Firestone BSW All-Season	501	0					
Conventional Spare	508	S	NA w/NGV Extended Range Tank Option (65T)				
Hub Cap	64C	0					
SEATS							
Cloth Front Buckets/Cloth Rear	Н	S					
Cloth Front Buckets/Vinyl Rear	I	0					
Cloth Split Bench/Cloth Rear	Р	0					
Vinyl Split Bench/Vinyl Rear		0					
Power Driver's Seat	21A	0					
AUDIO							
Electronic AM/FM Stereo/Cassette	58H	0	Incl. clock.				
Radio Suppression Package	53M	0	See Group/Misc. page for Package Description/Content.				
OTHER OPTIONS							
2-Way Radio Pre-wire	946	0	2-way radio connected to front speakers. NA w/999 Natural Gas				
			Engine.				
Anti-Lock Braking System		0					
Courtesy Lamp Disable		0	Courtesy lamp circuits made non-functional.				
Decklid Release on Door and IP- Ignition Powered★		0	NA w/999 Natural Gas Engine				
Floor Covering, Heavy Duty Rubber	127	0	Deletes carpeting. NA w/12H or 12Q Floor Mats.				
Floor Mats, Front & Rear		0	See Crayn/Mice made for made an advantage (content NA 11/000				
Lamp Pre-Wire Group	476	0	See Group/Misc. page for package description/content. NA w/999				
License Plate Bracket	153	0	Natural Gas Engine				
Limited Slip Differential		0	NA w/999 Natural Gas Engine.				
Locking Gas Cap		0	NA w/999 Natural Gas Engine.				
Moldings, Front Door Bodyside, Installed		0	NA w/60B Street Appearance Group.				
Removable Headliner w/Dual Beam Map Lamp	513	ő	INA WOOD direct Appearance Group.				
Speed Control		ő					
Spot Lamp Prep Package, Driver's Side		ő	See Group/Misc. page for Package Description/Content.				
Spot Lamp Prep Package, Dual Side		ő	See Group/Misc. page for Package Description/Content.				
Spot Lamp, Driver's Side		0	6" Unity #225 with 160,000 CP Halogen Bulb - A-Pillar Mounted.				
Spot Lamp, Dual		0	6" Unity #225 with 160,000 CP Halogen Bulb - A-Pillar Mounted.				
Street Appearance Group		0	NA w/two-tone, Police Only paint, Spot Lamp or Spot Lamp Prep				
			options. See Group/Misc. page for Package Description/Content.				
Two-Tone #1 ¹	952	0	Accent color is applied on the roof, front doors and rear doors.				
Two-Tone #2 ¹	953	0	Accent color is applied on the roof, hood, upper B-pillar and				
			decklid.				
Two-Tone #3 ¹	955	0	Accent color is applied on the roof and front doors.				
LPO							
Heater, Engine Block Immersion	41H	0					
WARNING After medical realization and found to a second							

WARNING: After market police equipment (such as communications gear) must not be mounted in the airbag deployment zone. Vehicles equipped with bench seats may not have sufficient room to mount such equipment. Bucket seats may be required. See brochure, part #FPS-8602 for available police equipment mounting zones. Advise all customers of these facts.

LEGEND: 0 = Optional S = Standard — = Not Available U = Upgraded I = Included in another option or group option.

♦ = May not be available at Job #1. ★ = New for this model year.

10/12/99 2:01 PM - 4 -Ford Division

¹ Bumper color same as primary color.

2000 POLICE INTERCEPTOR **GROUP/MISCELLANEOUS OPTIONS**

LAMP PRE-WIRE GROUP (476)

- · Package tray lamp wiring
- · Inner decklid lamp wiring

RADIO SUPPRESSION PACKAGE (53M)

Provides radio suppression coverage for the following areas:

- Hood to body (LH/RH)
- Engine to dash panel
- Engine to frame
- Tail pipe to frame (LH/RH)
- Decklid to body (LH/RH)
- Radiator bracket to frame (LH/RH)
- Body to frame-rear (LH/RH)

SPOT LAMP PREP PACKAGE (51B/51Z)

- · Contains wiring, bracketry & body preparation for installation of spot lamp kit purchased from manufacturer.
- Required for dealer installation of A-Pillar spot lamp(s).
- Access hole in A-Pillar
- Mounting bracket in place
- A-Pillar moldings trimmed
- Wiring & fuse located in standard fuse panel
- Door edge reworked and trimmed
- Not available with 51A/51Y Spot Lamp
- Not available with 60B Street Appearance Group

STREET APPEARANCE (60B)

- Color-keyed retail bodyside moldings
- Rear applique with color-keyed panels
- "Crown Victoria" badge
- Color-keyed mirrors
- Chrome grille
- Chrome fascia inserts
- Chrome door handle bezel
- Chrome Tail Lamp Applique
- Lamp Pre-Wire Group
- Not available with 51A/51Y/51Z/51B Sport Lamp/Prep options

MISCELLANEOUS

Predelivery Only	361
Predelivery w/Undercoat	362
Local/State Ordinance Deviation	931
Priced DORA	C09

SPECIAL ORDERS

(FLEET ONLY. See Dealer Special Order Binder for ordering guidelines and restrictions.)

CALIFORNIA/NORTHEAST STATES**/CROSS-**BORDER STATES*****

CALIFORNIA EMISSIONS SYSTEM 422 Required on units for California and Northeast States

registration. Optional for Cross-Border States. NA with 428 High Altitude Principle Use.

CALIFORNIA EMISSIONS SYSTEM NOT REQUIRED ... 423

Control code for units either shipped to California or Northeast States dealers or ordered by California or Northeast States dealers for registration in non-California, non-Northeast States locations.

CALIFORNIA/NORTHEAST STATES PUBLIC

SERVICE/EMERGENCY VEHICLE EXCEPTION 936 Only available on units sold to authorized

governmental units and privately-owned ambulance companies. Must also use Code 423 when ordering.

NON-CALIFORNIA/NON-NORTHEAST STATES/NON-CROSS-BORDER STATES DEALER ORDER FOR CALIFORNIA OR NORTHEAST STATES REGISTRATION 93N

Required on all units ordered by dealers for California or Northeast States registration when the vehicle is being delivered to a non-California, non-Northeast, non-Cross-Border States location. Requires 422 California Emissions System. Vehicles must be registered in California or Northeast States.

**NORTHEAST STATES

Northeast States are Connecticut, Delaware, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, Virginia and Washington D.C.

***CROSS-BORDER STATES

Cross-Border States are Arizona, Kentucky, Maine, Nevada, North Carolina, Ohio, Oregon, Tennessee and West Virginia.

POLICE INTERCEPTOR EQUIPMENT

Full Wheel Covers

78 Amp-Hr Extra Heavy-Duty Battery

Heavy-Duty Suspension — heavy-duty front and rear springs, shock absorbers and stabilizer bar

Heavy-Duty Frame

Heavy Duty Steering Gear

Heavy-Duty (130 Amp) Alternator

Police Accessory Feed Wires (One ignition/One direct)

Dual Exhaust

Engine Oil Cooler

Transmission Oil Cooler

Power Steering Oil Cooler

0-140 MPH Speedometer

P225/60VR16 "All Season" BSW Tires/Conventional Spare Tire

3.55 Rear Axle Ratio w/non-locker axle

Remote Decklid Release (battery operated)

3-1/2" Aluminum Driveshaft

Unique calibration w/increased idle speed

Lower radiator air dam

Courtesy Lamp wiring

Conventional Headliner without grab handles

Engine Compartment Light

Front Cloth Bucket Seats

Single Key Locking

2000 POLICE INTERCEPTOR COLOR & TRIM

		INTERIOR TRIM COLORS		
INTERIOR TRIM TYPE AND COLOR SELECTOR NOTE: First letter denotes type, second letter denotes color.		Dark Denim Blue	Medium Parchment	Light Graphite
POLICE				
Cloth Front Buckets/Cloth Rear		HR	HH	H2
Cloth Front Buckets/Vinyl Rear		IR	IH	12
Cloth Split Bench/Cloth Rear		PR	PH	P2
Vinyl Split Bench/Vinyl Rear		RR	RH	R2
EXTERIOR COLOR			AVAILABILITY	
COLOR	CODE			
POLICE				
Harvest Gold Clearcoat Metallic	B2		•	
Medium Brown Metallic	BU		•	
Toreador Red Clearcoat Metallic	FL		•	•
Spruce Green Clearcoat Metallic	FS		•	•
Dark Blue	LK	•		•
Deep Wedgewood Blue Clearcoat Metallic	LL	•		•
Royal Blue	LM	•		•
Light Blue Metallic	LN	•		•
Light Blue Clearcoat Metallic	M7	•		•
Ultra Blue Clearcoat Metallic	MM	•		•
★Tropic Green Clearcoat Metallic	SU		•	•
Light Grey	TM	•		•
Silver Grey Metallic	TN	•		•
Silver Frost Clearcoat Metallic	TS	•		•
Black Clearcoat	UA	•	•	•
Vibrant White Clearcoat	WT	•	•	•
Medium Titanium Clearcoat Metallic	YG			•

WARNING: After market police equipment (such as communications gear) must not be mounted in the airbag deployment zone. Vehicles equipped with bench seats may not have sufficient room to mount such equipment. Bucket seats may be required. See brochure, part #FPS-8602 for available police equipment mounting zones. Advise all customers of these facts.

Note: Exterior colors are available in three different two-tone configurations. Accent color can be any of the available exterior colors.

LEGEND: \star = New for this model year. • = Available.

2000 POLICE INTERCEPTOR

POWERTRAIN AVAILABILITY

			50 STATES
ENGINE	TRANSMISSION	CODE	
POLICE		AXLE TYPE	REGULAR
		AXLE RATIO	3.55
4.6L OHC SEFI V8	 Electronic Automatic 	99W/44U ¹	Std
	Overdrive		

FUEL ECONOMY

		50 STATES			
		F.E. LABEL		ESTIMATED	MEMO:
		ADJUSTED		ANNUAL	UNADJUSTED
ENGINE DISPL.	TRANSMISSION	CITY	HIGHWAY	FUEL COST	COMBINED
POLICE					
4.6L OHC SEFI V8	Electronic Automatic Overdrive	16	21	1001	21.0

ENGINE HORSEPOWER AND TORQUE RATINGS

		NOMINAL	50 STATES	
_		COMPRESSION	HORSEPOWER	TORQUE
ENGINE DISPL.	TRANSMISSION	RATIO	H.P. @ RPM	FT. LB. @ RPM
POLICE				
4.6L OHC SEFI V8	Electronic Automatic Overdrive	9.0	200 @ 4250	275 @ 3000

¹ Natural Gas Engine available (Order 999)

2000 Crown Victoria Police Interceptor Interior Trims

Crown Victoria Police Interceptor



Standard Bucket Seats

- -- Standard Cloth with Standard Cloth Rear Seat
- -- Standard Cloth with Optional Vinyl Rear Seat



Optional Split Bench Seat -- Optional Vinyl

- -- Optional Cloth

2000 Crown Victoria Dimensions and Capacities

Specifications

Dimensions* and Capacities	Sedan
General	
Wheelbase	114.7
Overall Length	212.0
Overall Height	56.8
Overall Width	78.2
Tread – Front	63.4
– Rear	65.3
Fuel Tank Capacity (gals.)	19.0
Curb Weight (lbs.)	3908
Front Seat Room	
Head Room	39.4
Shoulder Room	60.8
Hip Room	57.1
Leg Room – Maximum	42.5
Rear Seat Room	
Head Room	38.0
Shoulder Room	60.3
Hip Room	59.0
Leg Room – Minimum	39.6
Luggage/Cargo Compartment	
Luggage Capacity (cu. ft.)	20.6
EPA Passenger Volume Index (cu. ft.)	111.4

^{*} Dimensions in inches unless otherwise specified.